

Ideas

- **DANGER-SHOCK**
 - **Finding:** Impella CP reduces mortality
 - **Significance:** First trial to show mortality benefit from MCS
- **Hyperangulated VL vs Standard DL in Surgical Patients**
 - **Finding:** First-pass intubation failure: hyperangulated VL 1.7% vs DL 7.6%
 - **Significance:** More evidence VL is better as first-line?
- **Tranexamic acid in upper gastrointestinal bleed in patients with cirrhosis**
 - **Finding:** in Child-Pugh B or C with UGIB, TXA improves bleeding control vs placebo
- **UK-REBOA**
 - **Finding:** In trauma patients with exsanguinating hemorrhage, a strategy of REBOA and standard care in the emergency department does not reduce, and may increase, mortality compared with standard care alone.
- **MINT: Restrictive or Liberal Transfusion Strategy in Myocardial Infarction and Anemia**
 - **Finding:** In patients with acute myocardial infarction and anemia, a liberal transfusion strategy did not significantly reduce the risk of recurrent myocardial infarction or death at 30 days.
- **Mac Geometry VL vs Mac DL**
 - **Finding:** VL had better first-pass success than DL

From:

<https://ewrobbins.com/> - ewrobbins.com

Permanent link:

<https://ewrobbins.com/doku.php?id=jc&rev=1715709377>

Last update: **2024/05/14 17:56**

