

Official PFT Guides

| |
|---|
| Official Guides |
| ATS Rapid Interpretation Guide |
| 2010 GOLD Spirometry Guide |
| 2022 ERS/ATS Interpretive Strategies for PFTs |

Step-by-Step to Interpreting PFTs

Assess Flow-Volume Loops

- Are the loops similar between attempts?
 - YES: Skip to next
 - NO: See first page's comment if ATS reproducibility criteria was met
- Roughly speaking, do the loops appear obstructive or restrictive?

Assess Spirometry

Spirometric Severity

ATS Criteria

[Source](#)

| Grade | FEV1 z score | Severity |
|-------|---------------|----------|
| NA | -1.65 to -2.5 | Mild |
| NA | -2.51 to -4.0 | Moderate |
| NA | <-4.1 | Severe |

GOLD Criteria

| Grade | FEV1 Percent Predicted | Severity |
|-------|------------------------|-------------|
| 1 | ≥80% | Mild |
| 2 | 50% – 79% | Moderate |
| 3 | 30% – 49% | Severe |
| 4 | <30% | Very Severe |

Bronchodilator Response

ERS/ATS Definition

- Required:

1. BDR >10%

1. Calculation

1.
$$\text{\$ BDR} = \frac{\text{FEV1}_{\text{postBD}} - \text{FEV1}_{\text{preBD}}}{\text{FEV1}_{\text{predicted}}}\text{\$}$$

Important NOTE:

1. Calculation is not

1.
$$\text{\$ BDR} = \frac{\text{FEV1}_{\text{postBD}} - \text{FEV1}_{\text{preBD}}}{\text{FEV1}_{\text{preBD}}}\text{\$}$$

2. Does NOT require

1.
$$\text{\$}\Delta \text{FEV1}_{\text{volume}} > 200 \text{ mL}\text{\$}$$

DLCO Severity

| DLCO Percent Predicted | Severity |
|------------------------|-----------------|
| >140% | Abnormally High |
| 76%-140% | Normal |
| 61-75% | Mild |
| 41-60% | Moderate |
| <40% | Severe |

Assessing Restriction

ATS Criteria

[Source, pg 17](#)

1. Check spiro

1. Is $\text{\$FVC} \cdot z_{\text{score}} \leq -1.65\text{\$}$ (e.g. < 5th percentile)?

1. Yes: get lung volumes

2. No: no restriction

• IF not performed, skip to below

• **IFF TLC < 80% or < LLN:**

| TLC Percent Predicted | Severity |
|-----------------------|----------|
| >70% | Mild |
| 50%-69% | Moderate |
| <50% | Severe |

Other Lung Volumes

VC: ↓ in restriction, ↓ in air trapping RV & FRC: ↑ with air trapping RV & FRC: ↓ with restriction ERV: ↓ in obesity

Lung Volume

FRC is the primary thing calculated in lung volume calculations.

Other

Plethysmography

Boyle's Law

- $P_1V_1 = P_2V_2$
- $\implies V_{\text{tg}} = 970 \frac{\Delta V}{\Delta P}$

$$\text{FRC} = \text{ERV} + \text{RV}$$

$$\text{TLC} = \text{VC} + \text{RV}$$

Helium

- Helium is used because He doesn't cross the alveolar-capillary membrane
 - $C_1V_1 = C_2(V_1 + V_2)$
 - $\implies V_2 = V_1 \left(\frac{C_1}{C_2} - 1 \right)$
 - **limitations** since inhalation done only for a few minutes, would get into poorly ventilated lungs, so will underestimate FRC

Nitrogen

Method for calculation is similar to [Helium](#) method.

From:

<https://ewrobbins.com/> - ewrobbins.com

Permanent link:

https://ewrobbins.com/doku.php?id=resources:pulm:interpreting_pfts&rev=1703080954

Last update: **2023/12/20 14:02**

