

Official PFT Guides

Official Guides
ATS Rapid Interpretation Guide
2010 GOLD Spirometry Guide
2022 ERS/ATS Interpretive Strategies for PFTs

Step-by-Step to Interpreting PFTs

Assess Flow-Volume Loops

1. Are the loops similar between attempts?
 1. YES: Skip to next
 2. NO: See first page's comment if ATS reproducibility criteria was met
2. Roughly speaking, do the loops appear obstructive or restrictive?

Assess Spirometry

Spirometric Severity

ATS Criteria

[Source](#)

Grade	FEV1 z score	Severity
NA	-1.65 to -2.5	Mild
NA	-2.51 to -4.0	Moderate
NA	<-4.1	Severe

GOLD Criteria

Grade	FEV1 Percent Predicted	Severity
1	≥80%	Mild
2	50% – 79%	Moderate
3	30% – 49%	Severe
4	<30%	Very Severe

Bronchodilator Response

ERS/ATS Definition

1. Required:

1. BDR >10%

1. Calculation

1.
$$\text{\$ BDR} = \frac{\text{FEV1}_{\text{postBD}} - \text{FEV1}_{\text{preBD}}}{\text{FEV1}_{\text{predicted}}}\text{\$}$$

Important NOTE:

1. Calculation is not

1.
$$\text{\$ BDR} = \frac{\text{FEV1}_{\text{postBD}} - \text{FEV1}_{\text{preBD}}}{\text{FEV1}_{\text{preBD}}}\text{\$}$$

2. Does NOT require

1.
$$\text{\$}\Delta \text{FEV1}_{\text{volume}} > 200 \text{ mL}\text{\$}$$

DLCO Severity

DLCO Percent Predicted	Severity
>140%	Abnormally High
76%-140%	Normal
61-75%	Mild
41-60%	Moderate
<40%	Severe

Assessing Restriction

ATS Criteria

[Source, pg 17](#)

1. Check spiro


1. Is $\text{\$FVC} \cdot z_{\text{score}} \leq -1.65\text{\$}$ (e.g. < 5th percentile)?

1. Yes: get lung volumes

2. No: no restriction

2. Check lung volumes

1. Is $\text{\$TLC} \cdot z_{\text{score}} \leq -1.65\text{\$}$ (e.g. < 5th percentile)?



TLC Percent Predicted	Severity
>70%	Mild
50%-69%	Moderate
<50%	Severe

Other Lung Volumes

VC: ↓ in restriction, ↓ in air trapping
 RV & FRC: ↑ with air trapping
 RV & FRC: ↓ with restriction
 ERV: ↓ in obesity

Lung Volume

FRC is the primary thing calculated in lung volume calculations.

Other

Plethysmography

Boyle’s Law

- $P_1 V_1 = P_2 V_2$
- $\implies V_{tg} = 970 \frac{\Delta V}{\Delta P}$

$FRC = ERV + RV$

$$\text{\$TLC} = \text{VC} + \text{RV} \text{\$}$$

Helium

- Helium is used because He doesn't cross the alveolar-capillary membrane
 - $C_1 V_1 = C_2 (V_1 + V_2)$
 - $\implies V_2 = V_1 \left(\frac{C_1}{C_2} - 1 \right)$
 - **limitations** since inhalation done only for a few minutes, would get into poorly ventilated lungs, so will underestimate FRC

Nitrogen

Method for calculation is similar to [Helium](#) method.

From:
<https://ewrobbins.com/> - ewrobbins.com

Permanent link:
https://ewrobbins.com/doku.php?id=resources:pulm:interpreting_pfts&rev=1703082136

Last update: **2023/12/20 14:22**

