

# Ideas

- Airway
  - [Hyperangulated VL vs Standard DL in Surgical Patients](#)
    - **Finding:** First-pass intubation failure: hyperangulated VL 1.7% vs DL 7.6%
    - **Significance:** More evidence VL is better as first-line?
  - [Mac Geometry VL vs Mac DL](#)
    - **Finding:** VL had better first-pass success than DL
- CARDS
  - [IV vs IO for OHCA](#)
    - **Finding:** IV assoc with better survival and neuro fav outcomes
  - [MINT: Restrictive or Liberal Transfusion Strategy in Myocardial Infarction and Anemia](#)
    - **Finding:** In patients with acute myocardial infarction and anemia, a liberal transfusion strategy did not significantly reduce the risk of recurrent myocardial infarction or death at 30 days.
- CCM
  - [Pantoprazole for MV GI bleed ppx](#)
    - **Finding:** reduces GIB, no mortality benefit
    - [Calcium for hyperK](#)
    - **Finding:** not via membrane stabilization
- MCS
  - [DANGER-SHOCK](#)
    - **Finding:** Impella CP reduces mortality
    - **Significance:** First trial to show mortality benefit from MCS
- PULM
  - [Depemokimab](#)
  - [Inebilizumab for Treatment of IgG4-Related Disease](#)
- GI
  - [Tranexamic acid in upper gastrointestinal bleed in patients with cirrhosis](#)
    - **Finding:** in Child-Pugh B or C with UGIB, TXA improves bleeding control vs placebo
- Trauma
  - [UK-REBOA](#)
    - **Finding:** In trauma patients with exsanguinating hemorrhage, a strategy of REBOA and standard care in the emergency department does not reduce, and may increase, mortality compared with standard care alone.

From:  
<https://ewrobbins.com/> - ewrobbins.com

Permanent link:  
<https://ewrobbins.com/doku.php?id=jc&rev=1731791507>

Last update: 2024/11/16 21:11

